

Ультразвуковые датчики ХХ

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70


















Казахстан +(727)345-47-04





















Беларусь +(375)257-127-884

















Узбекистан +998(71)205-18-59



















Киргизия +996(312)96-26-47





эл.почта: tuq@nt-rt.ru || сайт: <https://telemecanique.nt-rt.ru>





















	<u>SM330A20400FP</u>	Hyde Park, Ultrasonic sensor, discrete, miniature flat profile, 12 24 V DC
	<u>SM330A22800</u>	Hyde Park, Ultrasonic sensor, discrete, 12 mm barrel, 12 24 V DC
	<u>SM340A46000</u>	Hyde Park, Ultrasonic sensor, discrete, 12 mm barrel, 12 24 V DC
	<u>SM350A11200FP</u>	Hyde Park, Ultrasonic sensor, discrete, miniature flat profile, 12 24 V DC
	<u>SM350A20800</u>	Hyde Park, Ultrasonic sensor, discrete, 12 mm barrel, 12 24 V DC
	<u>SM350A22800FP</u>	Hyde Park, Ultrasonic sensor, discrete, miniature flat profile, 12 24 V DC
	<u>SM350A22810</u>	Hyde Park, Ultrasonic sensor, discrete, 12 mm barrel, 12 24 V DC
	<u>SM350A30400</u>	Hyde Park, Ultrasonic sensor, discrete, 12 mm barrel, 12 24 V DC
	<u>SM350A31600</u>	Hyde Park, Ultrasonic sensor, discrete, 12 mm barrel, 12 24 V DC
	<u>SM350A34499</u>	Hyde Park, Ultrasonic sensor, discrete, 12 mm barrel, 12 24 V DC
	<u>SC300A400</u>	Hyde Park, Ultrasonic sensor, discrete, 12 mm barrel, 12 24 V DC
	<u>SC350A400FP</u>	Hyde Park, Ultrasonic sensor, discrete, flat profile, 12 24 V DC
	<u>SC380A400</u>	Hyde Park, Ultrasonic sensor, discrete, 12 mm barrel, 12 24 V DC
	<u>SC390A400FP</u>	Hyde Park, Ultrasonic sensor, discrete, flat profile, 12 24 V DC
	<u>SC650AB00AFP</u>	Hyde Park, Ultrasonic sensor, discrete, flat profile, 12 24 V DC
	<u>SC650AB00RF</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SC650AB00S</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SC656ABV0</u>	Hyde Park, Ultrasonic sensor, analog, voltage (V), 18 mm barrel, 15 24 V DC
	<u>SM300A22810</u>	Hyde Park, Ultrasonic sensor, discrete, 12 mm barrel, 12 24 V DC
	<u>SM300A46000</u>	Hyde Park, Ultrasonic sensor, discrete, 12 mm barrel, 12 24 V DC





















	<u>SM380A34400FP</u>	Hyde Park, Ultrasonic sensor, discrete, miniature flat profile, 12 24 V DC
	<u>SM380A42800FP</u>	Hyde Park, Ultrasonic sensor, discrete, miniature flat profile, 12 24 V DC
	<u>SM380A43200</u>	Hyde Park, Ultrasonic sensor, discrete, 12 mm barrel, 12 24 V DC
	<u>SM380A46000FP</u>	Hyde Park, Ultrasonic sensor, discrete, miniature flat profile, 12 24 V DC
	<u>SM390A22800</u>	Hyde Park, Ultrasonic sensor, discrete, 12 mm barrel, 12 24 V DC
	<u>SM600A20800</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM600A21600S</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM600A44800</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM600A44800S</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM600A64800</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM350A41600</u>	Hyde Park, Ultrasonic sensor, discrete, 12 mm barrel, 12 24 V DC
	<u>SM352AB2099FPR</u>	Hyde Park, Ultrasonic sensor, dual level, miniature flat profile, 12 24 V DC
	<u>SM380A11200</u>	Hyde Park, Ultrasonic sensor, discrete, 12 mm barrel, 12 24 V DC
	<u>SM380A11205FP</u>	Hyde Park, Ultrasonic sensor, discrete, miniature flat profile, 12 24 V DC
	<u>SM380A11210</u>	Hyde Park, Ultrasonic sensor, discrete, 12 mm barrel, 12 24 V DC
	<u>SM380A21600FP</u>	Hyde Park, Ultrasonic sensor, discrete, miniature flat profile, 12 24 V DC
	<u>SM380A22800</u>	Hyde Park, Ultrasonic sensor, discrete, 12 mm barrel, 12 24 V DC
	<u>SM380A22800FP</u>	Hyde Park, Ultrasonic sensor, discrete, miniature flat profile, 12 24 V DC
	<u>SM380A22810FP</u>	Hyde Park, Ultrasonic sensor, discrete, miniature flat profile, 12 24 V DC
	<u>SM380A32800FP</u>	Hyde Park, Ultrasonic sensor, discrete, miniature flat profile, 12 24 V DC





	<u>SM650A43200</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM650A43200FP</u>	Hyde Park, Ultrasonic sensor, discrete, subcompact flat profile, 12 24 V DC
	<u>SM650A44800FP</u>	Hyde Park, Ultrasonic sensor, discrete, subcompact flat profile, 12 24 V DC
	<u>SM650A44800FSS</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM650A44800S</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM650A50800RF</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM650A56400</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM650A56800</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM650A61600</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM650A63200</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM600A79610S</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM600AJ0L90AL</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM602A3011316</u>	Hyde Park, Ultrasonic sensor, dual level, pump in latch, 18 mm barrel, 12 24 V DC
	<u>SM606A67400</u>	Hyde Park, Ultrasonic sensor, analog, voltage (V), 18 mm barrel, 15 24 V DC
	<u>SM650A21678FP</u>	Hyde Park, Ultrasonic sensor, discrete, subcompact flat profile, 12 24 V DC
	<u>SM650A30400</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM650A32400</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM650A33200</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM650A33200FP</u>	Hyde Park, Ultrasonic sensor, discrete, subcompact flat profile, 12 24 V DC
	<u>SM650A41600</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC





















	<u>SM650A68010</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM650A78000</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM650A79600</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM650A79600S</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM650A80J00</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM650AB9600</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM650AW2445</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM652A31689FP</u>	Hyde Park, Ultrasonic sensor, dual level, alarm, subcompact flat profile, 12 24 V DC
	<u>SM656A33254FP</u>	Hyde Park, Ultrasonic sensor, analog, voltage (V), subcompact flat profile, 12 24 V DC
	<u>SM656A43200HFP</u>	Hyde Park, Ultrasonic sensor, analog, voltage (V), subcompact flat profile, 15 24 V DC
	<u>SM656A67400S</u>	Hyde Park, Ultrasonic sensor, analog, voltage (V), 18 mm barrel, 15 24 V DC
	<u>SM656A79601</u>	Hyde Park, Ultrasonic sensor, analog, voltage (V), 18 mm barrel, 15 24 V DC
	<u>SM656AA3210FP</u>	Hyde Park, Ultrasonic sensor, analog, current (mA), subcompact flat profile, 15 24 V DC
	<u>SM656AB0006AAFP</u>	Hyde Park, Ultrasonic sensor, analog, voltage (V), subcompact flat profile, 15 24 V DC
	<u>SM656AB0B00S</u>	Hyde Park, Ultrasonic sensor, analog, voltage (V), 18 mm barrel, 15 24 V DC
	<u>SM657A20800</u>	Hyde Park, Ultrasonic sensor, small target sensing, 18 mm barrel, 12 24 V DC
	<u>SM660A31210</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM660A54800</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM660A79600</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>SM850A1200</u>	Hyde Park, microsonic thru beam transmitter





















	<u>SM851A1200FP</u>	Hyde Park, microsonic thru beam receiver
	<u>SM900A120000</u>	Hyde Park, Ultrasonic sensor, discrete, 30 mm barrel, 12 24 V DC
	<u>SM900A130000</u>	Hyde Park, Ultrasonic sensor, discrete, 30 mm barrel, 12 24 V DC
	<u>SM900A420000</u>	Hyde Park, Ultrasonic sensor, discrete, 30 mm barrel, 12 24 V DC
	<u>SM902A126000S</u>	Hyde Park, Ultrasonic sensor, dual level, dual setpoint, 30 mm barrel, 12 24 V DC
	<u>SM902A135000</u>	Hyde Park, Ultrasonic sensor, dual level, alarm, 30 mm barrel, 12 24 V DC
	<u>SM902A136085</u>	Hyde Park, Ultrasonic sensor, dual level, alarm, 30 mm barrel, 12 24 V DC
	<u>SM902A144100LE</u>	Hyde Park, Ultrasonic sensor, dual level, pump in latch w/alarm, 30 mm barrel, 12 24 V DC
	<u>SM902A426000S30</u>	Hyde Park, Ultrasonic sensor, dual level, dual setpoint, 30 mm barrel, 12 24 V DC
	<u>SM902A454000LE</u>	Hyde Park, Ultrasonic sensor, dual level, pump out latch w/alarm, 30 mm barrel 12 24 V DC
	<u>SM950A120000</u>	Hyde Park, ultrasonic sensor cylindrical M30, Sn1m, NO/NC, 12...24 VDC, M12
	<u>SM950A130000</u>	Hyde Park, ultrasonic sensor cylindrical M30, Sn1m, NO/NC, 12...24 VDC, M12
	<u>SM950A131000</u>	Hyde Park, superprox ultrasonic proximity sensor
	<u>SM950A420000</u>	Hyde Park, ultrasonic sensor cylindrical M30, Sn2m, NO/NC, 12...24 VDC, M12
	<u>SM950A430000</u>	Hyde Park, ultrasonic sensor cylindrical M30, Sn2m, NO/NC, 12...24 VDC, M12
	<u>SM952A124000</u>	Hyde Park, Ultrasonic sensor, dual level, dual setpoint, 30 mm barrel, 12 24 V DC
	<u>SM952A124000S</u>	Hyde Park, Ultrasonic sensor, dual level, dual setpoint, 30 mm barrel, 12 24 V DC
	<u>SM952A125C83</u>	Hyde Park, Ultrasonic sensor, dual level, dual setpoint, 30 mm barrel, 12 24 V DC
	<u>SM952A126000</u>	Hyde Park, Ultrasonic sensor, dual level, dual setpoint, 30 mm barrel, 12 24 V DC
	<u>SM952A126000S</u>	Hyde Park, Ultrasonic sensor, dual level, dual setpoint, 30 mm barrel, 12 24 V DC





















	<u>SM952A126100LE</u>	Hyde Park, Ultrasonic sensor, dual level, dual setpoint, 30 mm barrel, 12 24 V DC
	<u>SM952A127080</u>	Hyde Park, Ultrasonic sensor, dual level, dual setpoint, 30 mm barrel, 12 24 V DC
	<u>SM952A134000</u>	Hyde Park, Ultrasonic sensor, dual level, alarm, 30 mm barrel, 12 24 V DC
	<u>SM952A135000</u>	Hyde Park, Ultrasonic sensor, dual level, alarm, 30 mm barrel, 12 24 V DC
	<u>SM952A136000</u>	Hyde Park, Ultrasonic sensor, dual level, alarm, 30 mm barrel, 12 24 V DC
	<u>SM952A137004</u>	Hyde Park, Ultrasonic sensor, dual level, alarm, 30 mm barrel, 12 24 V DC
	<u>SM952A146000</u>	Hyde Park, Ultrasonic sensor, dual level, pump in latch w/alarm, 30 mm barrel, 12 24 V DC
	<u>SM952A425000</u>	Hyde Park, Ultrasonic sensor, dual level, dual setpoint, 30 mm barrel, 12 24 V DC
	<u>SM952A427000</u>	Hyde Park, Ultrasonic sensor, dual level, dual setpoint, 30 mm barrel, 12 24 V DC
	<u>SM952A456000</u>	Hyde Park, Ultrasonic sensor, dual level, pump out latch w/alarm, 30 mm barrel 12 24 V DC
	<u>XX218A3PFM12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M18, 2 filling levels, Sn 0.5 m, NO, M12
	<u>XX218A3PHM12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M18, 2 emptying levels, Sn 0.5 m, NO, M12
	<u>XX230A12NA00M12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M30, 2 levels, Sn 1 m, 2 NO, M12
	<u>XX230A22NA00M12</u>	ultrasonic sensor cylindrical M30 - 2 levels - Sn 2 m - 2 NO - M12
	<u>XX2V3A1PAM12J01</u>	Ultrasonic sensors XX, ultrasonic dual level sensor, Sn = 8 m, 2 NO, 4 wires
	<u>XX2V3A1PFM12</u>	Ultrasonic sensors XX, ultrasonic dual level sensor 2 NO 4 wires m30
	<u>XX2V3A1PGM12</u>	ULTRASONIC DUAL LEVEL SENSOR
	<u>XX318AA081KAM12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical m18 12, 24 V
	<u>XX318AU08EKAM12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical m18 12, 24 V
	<u>XX500A0KC00L3</u>	Ultrasonic sensors XX, ultrasonic sensor special, with options













	<u>SM956A152000</u>	Hyde Park, ultrasonic analog sensor
	<u>SM956AC92553</u>	Hyde Park, Ultrasonic sensor, analog, current (mA), 30 mm barrel, 15 24 V DC
	<u>VM18PNO39Q</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm barrel, 12 24 V DC
	<u>VM18VA2000Q</u>	Hyde Park, Ultrasonic sensor, analog, voltage (V), 18 mm barrel, 15 24 V DC
	<u>VMICA1000Q</u>	Hyde Park, Ultrasonic sensor, analog, current (mA), 18 mm snout dual mount, 15 24 V DC
	<u>VMICD3000Q</u>	Hyde Park, ultrasonic analog sensor
	<u>VMINNO00TEQ</u>	Hyde Park, Ultrasonic sensor, discrete, 18 mm snout dual mount, 12 24 V DC
	<u>VMIVA001IQ</u>	Hyde Park, Ultrasonic sensor, analog, voltage (V), 18 mm snout dual mount, 15 24 V DC
	<u>VMIVD2000Q</u>	Hyde Park, Ultrasonic sensor, analog, voltage (V), 18 mm snout dual mount, 15 24 V DC
	<u>VMIVD3000</u>	Hyde Park, Ultrasonic sensor, analog, voltage (V), 18 mm snout dual mount, 15 24 V DC
	<u>XXA18B1AM12</u>	Ultrasonic sensors XX, ultrasonic sensor cyl. 90 deg M18, Sn=1 m, analog 4 20 mA, SYNC, connector M12
	<u>XXA18B1PM12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical 90 deg M18, Sn=1 m, PNP, SYNC, connector M12
	<u>XXA18B1VM12</u>	Ultrasonic sensors XX, ultrasonic sensor cyl. 90 deg M18, Sn=1 m, analog 0 10 V, SYNC, connector M12
	<u>XXA18P1AM12</u>	Ultrasonic sensors XX, ultrasonic sensor cyl. 90 deg M18, Sn=1 m, analog 4 20 mA, SYNC, connector M12
	<u>XXA18P1PM12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical 90 deg M18, Sn=1 m, PNP, SYNC, connector M12
	<u>XXA18P1VM12</u>	Ultrasonic sensors XX, ultrasonic sensor cyl. 90 deg M18, Sn=1 m, analog 0 10 V, SYNC, connector M12
	<u>XXA18S1AM12</u>	Ultrasonic sensors XX, ultrasonic sensor cyl. 90 deg M18, Sn=1 m, analog 4 20 mA, SYNC, connector M12
	<u>XXA18S1PM12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical 90 deg M18, Sn=1 m, PNP, SYNC, connector M12
	<u>XXA18S1VM12</u>	Ultrasonic sensors XX, ultrasonic sensor cyl. 90 deg M18, Sn=1 m, analog 0 10 V, SYNC, connector M12
	<u>XXA30B1AM12</u>	Ultrasonic sensors XX, ultrasonic sensor, metal, cylindrical M30, angled, 1 m, 4...20 mA

	<u>XX512A1KAM8</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M12, Sn 0.05 m, 2 NO, M8 connector
	<u>XX512A2NAM8</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M12, Sn 0.1 m, NO, M8 connector
	<u>XX512A2PAM8</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M12, Sn 0.1 m, NO, M8 connector
	<u>XX518A1KAM12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M18, Sn 0.15 m, 2 NO, M12 connector
	<u>XX518A3NAL2</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M18, Sn 0.5 m, NO, cable 2 m
	<u>XX518A3NAM12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M18, Sn 0.5 m, NO, M12 connector
	<u>XX518A3PAL2</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M18, Sn 0.5 m, NO, cable 2 m
	<u>XX518A3PAM12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M18, Sn 0.5 m, NO, M12 connector
	<u>XX518A3PBM12</u>	Ultrasonic sensors XX, ultrasonic sensor, diameter 18 mm, sensor XX5
	<u>XX630A1NCM12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M30, Sn 1 m, NC + NO, M12 connector
	<u>XXA30B1PM12</u>	Ultrasonic sensors XX, ultrasonic sensor, metal, cylindrical M30, angled, 1 m, PNP
	<u>XXA30B1VM12</u>	Ultrasonic sensors XX, ultrasonic sensor, metal, cylindrical M30, angled, 1 m, 0...10 V
	<u>XXA30B2AM12</u>	Ultrasonic sensors XX, ultrasonic sensor, metal, cylindrical M30, angled, 2 m, 4...20 mA
	<u>XXA30B2PM12</u>	Ultrasonic sensors XX, ultrasonic sensor, metal, cylindrical M30, angled, 2 m, PNP
	<u>XXA30B2VM12</u>	Ultrasonic sensors XX, ultrasonic sensor, metal, cylindrical M30, angled, 2 m, 0...10 V
	<u>XXA30P1AM12</u>	Ultrasonic sensors XX, ultrasonic sensor, plastic, cylindrical M30, angled, 1 m, 4...20 mA
	<u>XXA30P1PM12</u>	Ultrasonic sensors XX, ultrasonic sensor, plastic, cylindrical M30, angled, 1 m, PNP
	<u>XXA30P1VM12</u>	Ultrasonic sensors XX, ultrasonic sensor, plastic, cylindrical M30, angled, 1 m, 0...10 V
	<u>XXA30P2AM12</u>	Ultrasonic sensors XX, ultrasonic sensor, plastic, cylindrical M30, angled, 2 m, 4...20 mA
	<u>XXA30P2PM12</u>	Ultrasonic sensors XX, ultrasonic sensor, plastic, cylindrical M30, angled, 2 m, PNP

	<u>XXA30P2VM12</u>	Ultrasonic sensors XX, ultrasonic sensor, plastic, cylindrical M30, angled, 2 m, 0...10 V
	<u>XXA30SIAM12</u>	Ultrasonic sensors XX, ultrasonic sensor, stainless steel, cylindrical M30, angled, 1 m, 4...20 mA
	<u>XXA30SIPM12</u>	Ultrasonic sensors XX, ultrasonic sensor, stainless steel, cylindrical M30, angled, 1 m, PNP
	<u>XXA30SIVM12</u>	Ultrasonic sensors XX, ultrasonic sensor, stainless steel, cylindrical M30, angled, 1 m, 0...10 V
	<u>XXA30S2AM12</u>	Ultrasonic sensors XX, ultrasonic sensor, stainless steel, cylindrical M30, angled, 2 m, 4...20 mA
	<u>XXA30S2PM12</u>	Ultrasonic sensors XX, ultrasonic sensor, stainless steel, cylindrical M30, angled, 2 m, PNP
	<u>XXA30S2VM12</u>	Ultrasonic sensors XX, ultrasonic sensor, stainless steel, cylindrical M30, angled, 2 m, 0...10 V
	<u>XXAD653</u>	ultrasonic sensor, Ultrasonic sensors XX, customers adapted
	<u>XXB18A3PAM12</u>	Ultrasonic sensors XX, ultrasonic sensor, M18, reflex, Sn 0.5 m, NC, M12
	<u>XXR12A8KAM8</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M12, receiver, Sn 0.2 m, 2 NO, M8 connector
	<u>XXR18A3KAM12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M18, receiver, Sn 0.6 m, 2 NO, M12 connector
	<u>XXR18A4KAM12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M18, receiver, Sn 1 m -2 NO, M12 connector
	<u>XXRF1A8KAM12L</u>	Ultrasonic sensors XX, ultrasonic sensor parallelepipedic 7x19x33, receiver, Sn 0.2 m 2 NO, M12 connec
	<u>XXS18B1AM12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M18, Sn=1 m, analog 4 20 mA, SYNC, connector M12
	<u>XXS18B1PM12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M18, Sn=1 m, PNP, SYNC, connector M12
	<u>XXS18B1VM12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M18, Sn=1 m, analog 0 10 V, SYNC, connector M12
	<u>XXS18PIAM12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M18, Sn=1 m, analog 4 20 mA, SYNC, connector M12
	<u>XXS18PIPM12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M18, Sn=1 m, PNP, SYNC, connector M12
	<u>XXS18PIVM12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M18, Sn=1 m, analog 0 10 V, SYNC, connector M12
	<u>XXS18SIAM12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M18, Sn=1 m, analog 4 20 mA, SYNC, connector M12

	<u>XXS18S1PM12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M18, Sn=1 m, PNP, SYNC, connector M12
	<u>XXS18S1VM12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M18, Sn=1 m, analog 0 10 V, SYNC, connector M12
	<u>XXS30B1AM12</u>	Ultrasonic sensors XX, ultrasonic sensor, metal, cylindrical M30, straight, 1 m, 4...20 mA
	<u>XXS30B1PM12</u>	Ultrasonic sensors XX, ultrasonic sensor, metal, cylindrical M30, straight, 1 m, PNP
	<u>XXS30B1VM12</u>	Ultrasonic sensors XX, ultrasonic sensor, metal, cylindrical M30, straight, 1 m, 0...10 V
	<u>XXS30B2AM12</u>	Ultrasonic sensors XX, ultrasonic sensor, metal, cylindrical M30, straight, 2 m, 4...20 mA
	<u>XXS30B2PM12</u>	Ultrasonic sensors XX, ultrasonic sensor, metal, cylindrical M30, straight, 2 m, PNP
	<u>XXS30B2VM12</u>	Ultrasonic sensors XX, ultrasonic sensor, metal, cylindrical M30, straight, 2 m, 0...10 V
	<u>XXS30B4AM12</u>	Ultrasonic sensors XX, ultrasonic sensor, metal, cylindrical M30, straight, 4 m, 4...20 mA
	<u>XXS30B4PM12</u>	Ultrasonic sensors XX, ultrasonic sensor, metal, cylindrical M30, straight, 4 m, PNP
	<u>XXS30P8APM12</u>	Ultrasonic sensor, plastic, cylindrical M30, straight, 8 m, 4...20 mA+PNP
	<u>XXS30P8NNM12</u>	Ultrasonic sensor, plastic, cylindrical M30, straight, 8 m, 2 NPN
	<u>XXS30P8PPM12</u>	Ultrasonic sensor, plastic, cylindrical M30, straight, 8 m, 2 PNP
	<u>XXS30P8VPM12</u>	Ultrasonic sensor, plastic, cylindrical M30, straight, 8 m, 0...10 V+PNP
	<u>XXS30S1AM12</u>	Ultrasonic sensors XX, ultrasonic sensor, stainless steel, cylindrical M30, straight, 1 m, 4...20 mA
	<u>XXS30S1PM12</u>	Ultrasonic sensors XX, ultrasonic sensor, stainless steel, cylindrical M30, straight, 1 m, PNP
	<u>XXS30S1VM12</u>	Ultrasonic sensors XX, ultrasonic sensor, stainless steel, cylindrical M30, straight, 1 m, 0...10 V
	<u>XXS30S2AM12</u>	Ultrasonic sensors XX, ultrasonic sensor, stainless steel, cylindrical M30, straight, 2 m, 4...20 mA
	<u>XXS30S2PM12</u>	Ultrasonic sensors XX, ultrasonic sensor, stainless steel, cylindrical M30, straight, 2 m, PNP
	<u>XXS30S2VM12</u>	Ultrasonic sensors XX, ultrasonic sensor, stainless steel, cylindrical M30, straight, 2 m, 0...10 V

	<u>XXS30B4VM12</u>	Ultrasonic sensors XX, ultrasonic sensor, metal, cylindrical M30, straight, 4 m, 0...10 V
	<u>XXS30P1AM12</u>	Ultrasonic sensors XX, ultrasonic sensor, plastic, cylindrical M30, straight, 1 m, 4...20 mA
	<u>XXS30P1PM12</u>	Ultrasonic sensors XX, ultrasonic sensor, plastic, cylindrical M30, straight, 1 m, PNP
	<u>XXS30P1VM12</u>	Ultrasonic sensors XX, ultrasonic sensor, plastic, cylindrical M30, straight, 1 m, 0...10 V
	<u>XXS30P2AM12</u>	Ultrasonic sensors XX, ultrasonic sensor, plastic, cylindrical M30, straight, 2 m, 4...20 mA
	<u>XXS30P2PM12</u>	Ultrasonic sensors XX, ultrasonic sensor, plastic, cylindrical M30, straight, 2 m, PNP
	<u>XXS30P2VM12</u>	Ultrasonic sensors XX, ultrasonic sensor, plastic, cylindrical M30, straight, 2 m, 0...10 V
	<u>XXS30P4AM12</u>	Ultrasonic sensors XX, ultrasonic sensor, plastic, cylindrical M30, straight, 4 m, 4...20 mA
	<u>XXS30P4PM12</u>	Ultrasonic sensors XX, ultrasonic sensor, plastic, cylindrical M30, straight, 4 m, PNP
	<u>XXS30P4VM12</u>	Ultrasonic sensors XX, ultrasonic sensor, plastic, cylindrical M30, straight, 4 m, 0...10 V
	<u>XXS30S4AM12</u>	Ultrasonic sensors XX, ultrasonic sensor, stainless steel, cylindrical M30, straight, 4 m, 4...20 mA
	<u>XXS30S4PM12</u>	Ultrasonic sensors XX, ultrasonic sensor, stainless steel, cylindrical M30, straight, 4 m, PNP
	<u>XXS30S4VM12</u>	Ultrasonic sensors XX, ultrasonic sensor, stainless steel, cylindrical M30, straight, 4 m, 0...10 V
	<u>XXSC650AB00AA</u>	ULTRASONIC PROXIMITY SENSOR
	<u>XXSIDPB100</u>	Ultrasonic sensors XX, ultrasonic sensor t V teach button XXSID
	<u>XXSIDPC03Q</u>	Ultrasonic sensors XX, ultrasonic sensor t V dc pnp XXSID
	<u>XXSIDPC04Q</u>	Ultrasonic sensors XX, ultrasonic sensor t V dc pnp XXSID
	<u>XXSM552A173</u>	Ultrasonic sensors XX, ultrasonic sensor Special, with options
	<u>XXSM572B100</u>	Ultrasonic sensors XX, ultrasonic sensor Special, with options
	<u>XXT12A8M8</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M12, transmitter Sn 0.2 m, M8 connector

	<u>XXT18A3M12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M18, transmitter Sn 0.6 m, M12 connector
	<u>XXT18A4M12</u>	Ultrasonic sensors XX, ultrasonic sensor cylindrical M18, Sn 1 m, transmitter M12 connector
	<u>XXTF1A8M12L</u>	Ultrasonic sensors XX, ultrasonic sensor parallelepipedic 7x19x33, transmitter Sn 0.2 m, M12 connector
	<u>XXV18B1NAL2</u>	Ultrasonic sensors XX, ultrasonic sensor, M18 metal, Sn 50 mm, NPN NO, cable 2 m
	<u>XXV18B1NAM12</u>	Ultrasonic sensors XX, ultrasonic sensor, M18 metal, Sn 50 mm, NPN NO, M12
	<u>XXV18B1NBL5</u>	Ultrasonic sensors XX, ultrasonic sensor, M18 metal, Sn 50 mm, NPN NC, cable 5 m
	<u>XXV18B1PAL2</u>	Ultrasonic sensors XX, ultrasonic sensor, M18 metal, Sn 50 mm, PNP NO, cable 2 m
	<u>XXV18B1PAL5</u>	Ultrasonic sensors XX, ultrasonic sensor, M18 metal, Sn 50 mm, PNP NO, cable 5 m
	<u>XXV18B1PAM12</u>	Ultrasonic sensors XX, ultrasonic sensor, M18 metal, Sn 50 mm, PNP NO, M12
	<u>XXV18B1PBL2</u>	Ultrasonic sensors XX, ultrasonic sensor, M18 metal, Sn 50 mm, PNP NC, cable 2 m
	<u>XXV18B1PBM12</u>	Ultrasonic sensors XX, ultrasonic sensor, M18 metal, Sn 50 mm, PNP NC, M12
	<u>XXW54P3APL01DM6</u>	Ultrasonic sensor, plastic, Wide Beam Φ 54, 3m, 4... 20mA+PNP, 0.15m cable+ 6pin Deutsch male connector
	<u>XXW54P3APL01M12</u>	Ultrasonic sensor, plastic, Wide Beam Φ 54, 3m, 4... 20mA+PNP, 0.15m cable + M12-5pin male connector
	<u>XXW54P3APL05</u>	Ultrasonic sensor, plastic, Wide Beam Φ 54, 3m, 4... 20mA+PNP, 0.5m cable
	<u>XXW54P3HPL01DM6</u>	Ultrasonic sensor, plastic, Wide Beam Φ 54, 3m, 0.5... 4.5V+PNP, 0.15m cable+ 6pin Deutsch male connector
	<u>XXW54P3HPL01M12</u>	Ultrasonic sensor, plastic, Wide Beam Φ 54, 3m, 0.5... 4.5V+PNP, 0.15m cable + M12-5pin male connector
	<u>XXW54P3HPL05</u>	Ultrasonic sensor, plastic, Wide Beam Φ 54, 3m, 0.5... 4.5V+PNP, 0.5m cable
	<u>XXW54P3JL01DM6</u>	Ultrasonic sensor, plastic, Wide Beam Φ 54, 3m, CAN SAE J1939, 0.15m cable+ 6pin Deutsch male connector
	<u>XXW54P3JL05</u>	Ultrasonic sensor, plastic, Wide Beam Φ 54, 3m, CAN SAE J1939, 0.5m cable
	<u>XXZPM100M12</u>	AC/DC POWER SUPPLY OUTPUT CONVERTER

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: tuq@nt-rt.ru || сайт: <https://telemecanique.nt-rt.ru>